
# BRISTAN



# SOCIAL HOUSING

# WELCOME TO THE BRISTAN RANGE FOR SOCIAL HOUSING PROVIDERS

The Bristan range of taps and showers is designed to meet the needs of Social Housing at every level. Whether it's specifiers who demand great looks along with the highest standards of safety and compliance, or the tenants and their families who rely on them every day.





## **CONTENTS**

Specifying for Social Homes with confidence

6 Building better communities in Social Housing

8 Bathroom taps

50 Thermostatic Bath Shower Mixers

∠ Kitchen taps

トク Shower

Accessories



### TRUST THE BRISTAN TEAM

replacement cycles.

knocks to reduce your maintenance costs and extend

We'll be with you every step of the way to help you match the requirements of your new build or refurbishment project to the right products.

Our helpful specification support team is always available with advice on legislation and regulations, as well as technical support for installation and maintenance to maximise performance and safety.

Our technical teams are focused on continued product development to meet the demands of the market and the constantly evolving regulations on water consumption and sustainability.

Because just like you, we're dedicated to delivering the best so that tenants can enjoy a more comfortable, more secure home environment.



Bathrooms and kitchens are essential for every home. A place for tenants to relax and indulge themselves. An indispensable part of the morning and evening routine for families of all ages. In fact, no other room is more important. Our years of experience will



# **QUALITY YOU CAN RELY ON**

All Bristan products are manufactured from the highest quality materials, to the highest possible quality standard. Our in-house testing facility has been awarded ISO/IEC 17025: 2005, which is the general requirement for the competence of testing and calibration laboratories, providing additional reassurance and peace of mind.

# **BEST OF BRITISH QUALIT**



Designed and engineered in Great Britain to meet the most rigorous local authority and water industry standards, Bristan taps, showers, mixer valves and accessories are your guarantee of performance and reliability.

# **EASE OF USE**

Our entire range has been carefully designed so the very young and the older generation alike can operate them easily and safely. Features such as ergonomic lever handles and thermostatic temperature controls all contribute to bathrooms that are safer and more comfortable for the whole family.

### A MORE INNOVATIVE APPROACH

As Local Authority and Housing Association budgets become increasingly stretched, finding new ways to increase value without compromising on quality in public sector specifications becomes more and more important.

That's one of the reasons we're constantly investing in better product designs to improve quality and usability while satisfying the demands of Local Authorities and regulators.

For instance, some of our shower and bath fill mixer taps are thermostatically controlled to ensure water temperatures never exceed 44°C. A crucial part of satisfying Part G of the building regulations and protecting tenants from the risk of scalding.

At the same time, robust design and hardwearing chrome finishes resist wear and tear, reducing the need for frequent repairs or replacement in your homes.

Bristan products are fully compliant to UK Water Regulations, which guarantees your specifications fall in line with regulations and byelaws covering water supply and fittings.



Bristan offers support for specification professionals with project building tools, technical data sheets, BIM data, links to RIBA and much, much more.







For more information, call our specifier helpline on 0844 701 6273 or visit www.bristan.com

### **UK WIDE DISTRIBUTION**

Our market-leading distribution service guarantees next working day delivery to your chosen merchant on orders before 6pm.

We'll work alongside you throughout your project to help you make the right choices and ensure you get the products you need, when and where you need them.


### **GUARANTEE**

All products are quality tested and carry a comprehensive guarantee of up to five years on parts and one year on fitting.

There are also options to extend our standard guarantees and create bespoke aftercare packages. Speak to our customer service team for more information.









### **DESIGNED WITH TENANTS IN MIND**

All our products are designed for ease of use by all ages and abilities. Many have simple, easy sequential controls that make handwashing child's play.

Our showers for Affordable Homes are easy to install, economical and feature built in thermostatic temperature controls that keep water at a constant temperature, regardless of whether another tap is turned on elsewhere in the house. Not just more comfortable, but safer too, as the risk of scalding is reduced.

#### WATER EFFICIENCY

Your homes also need to stand up to the latest legislative requirements when it comes to water efficiency. Especially when larger housing association developments or local authority estates can be made up of hundreds of individual homes in which each person can consume, on average, 150 litres of water per day.

So as well as fitting flow limiting technology to some of our products, we've chosen our Affordable Housing range, in part, for its water efficiency. Where appropriate, you'll see flow rates next to a number of our products, indicating just how much water they use under the European Water Labelling scheme.


\*Consumer Council for Water figures

### A MORE SUSTAINABLE APPROACH

Our 'every drop counts' approach to water efficiency is reflected in the number of products incorporating flow limiting features and our support for the European Water Label Scheme. As well as helping you meet Part G of the Building Regulations, that's a big plus for environment and cost-conscious housing associations too. We also operate an ethical supply chain to limit consumption of non-renewable resources and reduce the environmental impact of our delivery vehicles.

### **EUROPEAN WATER LABEL**

The European Water Label is an at a glance guide showing how much water a product uses in Litres per Minute (L/Min). For a complete explanation, visit www.europeanwaterlabel.eu









# AN OVERVIEW OF THE SOCIAL HOUSING BATHROOM TAP RANGE

Robust doesn't have to mean basic, and while value for money and durability often drive Social Housing specification, our bathroom taps range still offers plenty of options for introducing modern design values into your homes. Whether it's the chunky appeal of our Cadet and Club taps, or the slimmer lines of Orta, you'll find something to fit your plans.



**Blitz** 



Cadet



Page 10



Page 14

**Choices** 



**Cross Tops** 

Page 17



**Design Utility** 

Page 18



Orta

Page 20



**Smile** 

Page 22



Club

Page 24



Levers

Page 27

# **BLITZ**

The merging of curved surfaces and arrow straight lines makes for a neat, compact range that will suit a wide variety of bathroom designs. Thanks to the extended single lever handle, all Blitz taps are effortlessly easy to use and safe for youngsters, making them ideal for family homes.

# Blitz Basin Mixer (with Clicker Waste)


BTZ BAS C Chrome

Flexi tails Metal fixing nut Ceramic Cartridge









#### Specify as

Basin mixer tap with contemporary peg single-lever handle and ceramic cartridge, supplied with clicker waste, flexi tails and metal back nut.

#### **Blitz Basin Taps**

BTZ 1/2 C Chrome


Metal backnuts

Ceramic Disc









#### Specify as


1/2" Basin taps with contemporary peg lever handles and ceramic disc mechanism for longer life, supplied with metal backnuts.

# **Blitz Bath Taps**

BTZ 3/4 C Chrome Metal backnuts Ceramic Disc







#### Specify as

3/4" Bath taps with contemporary peg lever handles and ceramic disc mechanism for longer life, supplied with metal backnuts.


#### **Blitz Bath Filler**

BTZ BF C Chrome

Metal backnuts Ceramic Disc







### Specify as

3/4" Two-hole bath filler with contemporary peg lever handles and ceramic disc mechanism for longer life, supplied with metal backnuts.


## **Blitz Bath Shower Mixer**

BTZ BSM C Chrome

Metal backnuts Ceramic Disc







#### Specify as

3/4" Two-hole bath shower mixer with contemporary peg handles and ceramic disc mechanism for longer life, supplied with 1500mm hose and shower kit and metal backnuts.

# **CADET**

A chunky design featuring a classic loop handle, ergonomically designed for all the family to use with ease and colour coded temperature graphics. Cadet is perfectly proportioned for smaller bathrooms, cloakrooms or en-suites.

# Cadet Basin Mixer (with Clicker Waste)


CAD BAS C Chrome

Flexi tails Metal fixing nut Ceramic Cartridge









#### Specify as

Basin mixer tap with easy to use loop single-lever handle and ceramic cartridge, supplied with clicker waste, flexi tails and metal back nut.

# Cadet Basin Taps

CAD 1/2 C Chrome


Metal backnuts

Ceramic Disc









#### Specify as

1/2" Basin taps with easy to use loop lever handles and ceramic disc mechanism for longer life, supplied with metal backnuts.


# Cadet **Bath Taps**

CAD 3/4 C Chrome

Metal backnuts Ceramic Disc







#### Specify as


3/4" Bath taps with easy to use loop lever handles and ceramic disc mechanism for longer life, supplied with metal backnuts.

# **Cadet Bath Filler**

CAD BF C Chrome







#### Specify as

3/4" Two-hole bath filler with easy to use loop lever handles and ceramic disc mechanism for longer life, supplied with metal backnuts.

## Cadet **Bath Shower Mixer**

#### CAD BSM C Chrome

Metal backnuts


Ceramic Disc

1500mm hose, rub clean handset and wall bracket









#### Specify as

3/4" Two-hole bath shower mixer with easy to use loop lever handles and ceramic disc mechanism for longer life, supplied with 1500mm hose and shower kit and metal backnuts.

# **CHOICES**

With a rounded body and gently curved spout, our Choices basin taps, mixers and bath and shower fillers bring bags of character to any bathroom. Add the option of short and long levers handles, scoop handles or snub handles and you can see exactly how this popular design lives up to its name. With separate interchangeable heads, it also reduces the van stocks repair teams have to carry and prevents the expense of having to replace whole tap units in the event of damage or failure to the head, or to match varying tenant requirements.

### **Choices Basin Mixer** (with Clicker Waste)

CHC BAS C Chrome

Metal fixing nut Operates at a minimum pressure of 0.3 bar


Product supplied without heads

Ceramic Disc









#### Specify as

Basin mixer tap supplied without handle for flexible choice of styles. Supplied with ceramic cartridge, clicker waste, flexi tails and metal back nut.

# **Choices Basin Taps**

CHC 1/2 C Chrome

Metal backnuts


Product supplied without heads

Ceramic Disc











#### Specify as

1/2" Basin taps supplied without handles for flexible choice of styles. Supplied with ceramic disc mechanism for longer life and with metal backnuts.


# **Choices Bath Taps**

CHC 3/4 C Chrome

Metal backnuts Product supplied without heads Ceramic Disc







#### Specify as

3/4" Bath taps supplied without handles for flexible choice of styles. Supplied with ceramic disc mechanism for longer life and metal backnuts.

## **Choices Bath Filler**

CHC BF C Chrome


Metal backnuts


Product supplied without heads

Ceramic Disc









### Specify as

3/4" Two-hole bath filler supplied without handles for flexible choice of styles. Supplied with ceramic disc mechanism for longer life, supplied with metal backnuts.

## **Choices Bath Shower Mixer**

#### CHC BSM C Chrome

Metal backnuts

1750mm Hose, Rub Clean Handset & Wall Bracket


Operates at a minimum pressure of 0.3 bar Product supplied without heads

Ceramic Disc










150




# Specify as

3/4" Two-hole bath shower mixer supplied without handles for flexible choice of styles. Supplied with ceramic disc mechanism for longer life, supplied with 1750mm hose and shower kit and metal backnuts.

# **Choices** 3" Lever Handles Chrome

CHC 3IN C Chrome








#### Specify as

3" Easy to use lever handles to suit Choices taps range.

# **Choices Snub Handles Chrome**

CHC SNUB C Chrome




#### Specify as

Snub style handles for Choices taps range.

# **Choices 6" Lever Handles**

CHC 6IN C Chrome



#### Specify as

6" Long lever handles for additional ease of use to suit Choices taps range.

# **Choices Scoop Handles Chrome**

CHC SCOOP C Chrome



### Specify as

Scoop style handles for Choices taps range.

# **CROSS TOPS**

The traditional cross tap is a classic design that is at home in all styles of bathroom, from the traditional to the new. Robust and hard wearing, its simple looks and durability make it a favourite with specifiers, budget holders and older tenants who prefer the familiar look and feel of taps they grew up with.


# **Cross Basin Taps**

VAX 1/2 C Chrome Metal backnuts









#### Specify as

Economy 1/2" cross-head basin taps. Supplied with metal backnuts.

# **Cross Bath Taps**

VAX 3/4 C Chrome Metal backnuts



#### Specify as

Economy 3/4" cross-head bath taps. Supplied with metal backnuts.





### **Cross Bath Filler**


VAX BF C Chrome Metal backnuts



#### Specify as

Economy 3/4" cross-head bath taps. Supplied with metal backnuts.





# **Cross Bath Shower Mixer**

VAX BSM C Chrome Metal backnuts






# Specify as

Economy 3/4" cross-head two-hole bath shower mixer. Supplied with 1500mm hose and shower kit and metal backnuts.





1500mm Hose, Handset & Wall Bracket

# **DESIGN UTILITY LEVER**


An unfussy but still contemporary design that more than lives up to its name, with easy to grasp levers even the littlest hands can get to grips with and the choice of a conventional or TMV2 thermostatically controlled bath shower mixer, for added protection against scalding for the very young and elderly.

# Design Utility Lever Basin Mixer (with Clicker Waste)

DUL BAS C Chrome Metal fixing nut Ceramic Cartridge







### Specify as


Basin mixer tap with modern utility style single-lever handle and ceramic cartridge, supplied with clicker waste, flexi tails and metal back nut.

# **Design Utility Lever Basin Taps**

DUL 1/2 C Chrome Metal backnuts Ceramic Disc








#### Specify as

1/2" Basin taps with modern utility lever handles and ceramic disc mechanism for longer life, supplied with metal backnuts.

# **Design Utility Lever Bath Taps**

DUL 3/4 C Chrome Metal backnuts Ceramic Disc






#### Specify as

3/4" Bath taps with modern utility lever handles and ceramic disc mechanism for longer life, supplied with metal backnuts.

# **Design Utility Lever Bath Filler**

DUL BF C Chrome Metal backnuts Ceramic Disc





### Specify as

3/4" Two-hole bath filler with modern utility lever handles and ceramic disc mechanism for longer life, supplied with metal backnuts.

# **Design Utility Lever Bath Shower Mixer**

DUL BSM C Chrome

Metal backnuts

Operates at a minimum pressure of 0.3 bar


to bath fill

Ceramic Disc









1750mm Hose, Rub Clean Handset & Wall Bracket

#### Specify as

3/4" Two-hole bath shower mixer with modern utility lever handles and ceramic disc mechanism for longer life, supplied with metal backnuts.

# **ORTA**

Fun and funky with a purposeful forward slant, this contemporary tap design is an ideal way to add a little dynamism to run of the mill bathrooms while providing a practical and popular solution in new homes and refurbishments.


# Orta Basin Mixer (with Clicker Waste)

OR BAS C Chrome Metal fixing nut Ceramic Cartridge









#### Specify as

Basin mixer tap with smooth contemporary single-lever handle and ceramic cartridge, supplied with clicker waste, flexi tails and metal back nut.


# Orta Basin Mixer (without Waste)

OR BASNW C Chrome Metal fixing nut Ceramic Cartridge









#### Specify as

Basin mixer tap with smooth contemporary single-lever handle and ceramic cartridge, flexi tails and metal back nut. Supplied without waste.


# Orta Basin Taps

OR 1/2 C Chrome Metal backnuts Ceramic Disc









#### Specify as

1/2" Basin taps with smooth contemporary lever handles and ceramic disc mechanism for longer life, supplied with metal backnuts.


# Orta **Bath Taps**

OR 3/4 C Chrome

Metal backnuts Ceramic Disc







#### Specify as

3/4" Bath taps with smooth contemporary lever handles and ceramic disc mechanism for longer life, supplied with metal backnuts.


## Orta **Bath Filler**

OR BF C Chrome

Metal backnuts Ceramic Disc







#### Specify as

3/4" Two-hole bath filler with smooth contemporary lever handles and ceramic disc mechanism for longer life, supplied with metal backnuts.

## Orta **Bath Shower Mixer**

OR BSM C Chrome


Metal backnuts

Ceramic Disc









Handset & Wall Bracket

#### Specify as

3/4" Two-hole bath shower mixer with smooth contemporary lever handles and ceramic disc mechanism for longer life, supplied with metal backnuts.

# **SMILE**


Thanks to its easy to use loop handle and simple styling, this is a favourite specification for bathroom designers looking to add a refreshing update to bathrooms in Affordable Housing properties or to inject a little extra character into new bathroom designs.

# **Smile Basin Mixer** (with Clicker Waste)

SM BAS C Chrome Metal fixing nut Ceramic Cartridge







#### Specify as

Basin mixer tap with contemporary loop single-lever handle and ceramic cartridge, supplied with clicker waste, flexi tails and metal back nut.


# **Smile Basin Taps**

SM 1/2 C Chrome Metal backnuts Ceramic Disc









#### Specify as

1/2" Basin taps with contemporary loop lever handles and ceramic disc mechanism for longer life, supplied with metal backnuts.


# **Smile Bath Taps**

SM 3/4 C Chrome

Metal backnuts Ceramic Disc







#### Specify as

3/4" Bath taps with contemporary loop lever handles and ceramic disc mechanism for longer life, supplied with metal backnuts.


## **Smile Bath Filler**

SM BF C Chrome

Metal backnuts Ceramic Disc

**♦**WRAS





#### Specify as

3/4" Two-hole bath filler with contemporary loop lever handles and ceramic disc mechanism for longer life, supplied with metal backnuts.

# **Smile Bath Shower Mixer**

SM BSM C Chrome


Metal backnuts

Ceramic Disc









175mm Hose, Rub Clean Handset & Wall Bracket

#### Specify as

3/4" Two-hole bath shower mixer with contemporary loop lever handles and ceramic disc mechanism for longer life, supplied with metal backnuts.

# **CLUB**

A pleasingly compact design that offers good looks and a wide choice of product specifications, from single and mixer basin taps, through to bath fillers and an impressive pillar bath shower mixer.

# Club Basin Mixer (with Pop-up Waste)

VAC BAS C MT Chrome

Metal fixing nut









#### Specify as

Basin mixer tap with classic club style handle, supplied with pop-up waste, copper tails and metal back nut.

# Club Basin Taps

VAC 1/2 C MT Chrome

Metal backnuts









#### Specify as

1/2" Basin taps with classic club style handles, supplied with metal backnuts.

# Club Bath Taps

VAC 3/4 C MT Chrome

Metal backnuts







#### Specify as

3/4" Bath taps with classic club style handles, supplied with metal backnuts.


## Club **Bath Filler**

VAC BF C MT Chrome

Metal backnuts







#### Specify as

3/4" Two-hole bath filler with classic club style handles, supplied with metal backnuts.

# **Club Basin Mixer Eco6 Chrome Plated** with Metal Heads

VAC BAS E6 C MT Chrome









#### Specify as

Basin mixer tap with classic club style handle, supplied with pop-up waste, 6ltr/min flow regulator for economy, copper tails and metal back nut.

# **Basin Mixer** (without Waste)


VAC BASNW C MT Chrome

Metal fixing nut









#### Specify as

Basin mixer tap with classic club style handle, supplied copper tails and metal back nut. Supplied without waste.

# Club Basin Mixer (dual flow) with Pop-up Waste


VAC DFBAS C MT Chrome

Metal fixing nut









#### Specify as

Dual Flow basin mixer tap for cooltouch spout with classic club style handle, supplied with pop-up waste, copper tails and metal back nut.

# Club Luxury Bath Shower Mixer


VAC LBSM C MT Chrome

Metal backnuts









#### Specify as

3/4" Luxury Two-hole bath shower mixer with classic club style handles, 1500mm hose and shower kit. Supplied with metal backnuts.

# **Club Pillar Bath Shower Mixer**


VAC PBSM C MT Chrome

Metal backnuts









#### Specify as

3/4" Pillar Two-hole bath shower mixer with classic club style handles, 1500mm hose and shower kit. Supplied with metal backnuts.

# **LEVER TAPS**

Lever is the ideal bath tap specification for assisted living or Affordable Housing with elderly residents. The broad, extended lever handles can be controlled accurately and easily even by those with limited strength and dexterity, and their use across a range of basin taps, bath taps and bath shower mixers helps make the bathroom accessible to all.

# **Lever Basin Mixer** with Pop-up Waste 3" (76mm) Levers

VAL BAS C CD Chrome

Metal fixing nut Ceramic Cartridge Also available with 6" lever handles









#### Specify as

Basin mixer tap with 3" lever handles and ceramic cartridge, supplied with pop-up waste, copper tails and metal back nut.

# Lever **Basin Taps**

VAL 1/2 C CD Chrome


Metal backnuts

Ceramic Disc









#### Specify as

1/2" Basin taps with 3" lever handles, ceramic disc for longer life and supplied with metal backnuts.

# Lever **Bath Taps**


VAL 3/4 C CD Chrome

Metal backnuts

Ceramic Disc







#### Specify as

3/4" Bath taps with 3" lever handles, ceramic disc for longer life and supplied with metal backnuts.

# Lever Basin Taps Chrome Plated With Ceramic Disc Valves

VAL 1/2 C 6 CD Chrome


Metal backnuts

Ceramic Disc









#### Specify as

1/2" Basin taps with 6" easy to use lever handles, ceramic disc for longer life and supplied with metal backnuts.


# Lever Basin Taps Eco4 with Ceramic Disc Valves

VAL 1/2 E4 C CD Chrome









#### Specify as

1/2" Basin taps with 3" lever handles, 3.5Ltr/min flow regulators for ultimate economy, ceramic disc for longer life and supplied with metal backnuts.


# Lever Basin Taps Eco6 with Ceramic Disc Valves

VAL 1/2 E6 C CD Chrome









#### Specify as


1/2" Basin taps with 3" lever handles, 6Ltr/min flow regulators for economy, ceramic disc for longer life and supplied with metal backnuts.

### **Lever Bath Filler** 3" (76mm) Levers

VAL BF C CD Chrome Metal backnuts







#### Specify as

3/4" Two-hole bath filler with 3" lever handles, ceramic disc for longer life and supplied with metal backnuts.

### **Lever Bath Shower Mixer** 3" (76mm) Levers

VAL BSM C CD Chrome

Metal backnuts

Ceramic Disc








Basin mixer tap with 3" lever handle and ceramic cartridge, supplied with pop-up waste, copper tails and metal





# **Lever Bath Shower Mixer Eco6 Chrome Plated With Ceramic Disc Valves**


VAL BSM E6 C CD Chrome



#### Specify as

3/4" Two-hole bath shower mixer with 3" lever handles ans 6Ltr/min flow regulator (shower) for ultimate economy. With metal backnuts and ceramic disc mechanism for longer life, supplied with 1500mm hose and shower kit.





# **Lever Bath Shower Mixer Eco8 Chrome Plated With Ceramic Disc Valves**

VAL BSM E8 C CD Chrome






#### Specify as

3/4" Two-hole bath shower mixer with 3" lever handles ans 8Ltr/min flow regulator (shower) for economy. With metal backnuts and ceramic disc mechanism for longer life, supplied with 1500mm hose and shower kit.





# THERMOSTATIC BATH SHOWER MIXERS

Guarding against scalding, especially in properties that may be home to vulnerable groups such as young children and the elderly, is a hugely important consideration. Our thermostatic bath shower mixers guarantee water is always dispensed at a safe temperature to protect residents and provide compliance with Part G of the building regulations.



# **Design Utility Lever Thermostatic TMV2 Bath Shower Mixer**

DUL3 THBSM C Chrome

TMV2 Thermostatic control to bath & shower functions

Dual control with metal lever handles

Pre-set maximum temperature at  $38\,^{\circ}\text{C}$  which can be overridden

Operates at a minimum pressure of 0.5 bar Supplied without a shower kit









#### Specify as

Thermostatic TMV2 bath shower mixer with modern dual control chrome utility lever handles for ease of use. Pre-set maximum temperature at 38°C which can be overridden. Supplied without a shower kit.

Refer to page 51 for shower kits.



### **Thermostatic Bath Shower Mixer**

#### AR2 THBSM C Chrome

Thermostatic control to bath & shower functions


Pre-set maximum temperature at 38°C which can be overridden

Operates at a minimum pressure of 0.5 bar Supplied without shower kit









#### Specify as

Thermostatic bath shower mixer with dual control handles. Pre-set maximum temperature at 38°C which can be overridden. Supplied without a shower kit.

Refer to page 51 for shower kits.

### **Thermostatic TMV2 Bath Shower Mixer**

#### AS2 THBSM C Chrome Plated

TMV2 Thermostatic control to bath & shower functions

Dual control metal handles

Pre-set maximum tempertaure at 38°C which can be overridden

Operates at a minimum pressure of 0.5 bar Supplied without a shower kit








#### Specify as

Thermostatic TMV2 bath shower mixer with dual control chrome handles. Pre-set maximum temperature at 38°C which can be overridden. Supplied without a shower kit.

Refer to page 51 for shower kits.






## **Bath Filler with Thermostatic Shower**

#### J THBSMVO C

Product supplied without shower kit Ceramic Disc





#### Specify as

Java Deck Mount Bath Shower Mixer with Thermostatic shower control and Ceramic Disc technology for longer life. Supplied without shower kit.

Refer to page 51 for shower kits.





**Choices** 

Page 33



**Design Utility** 

Page 34



Club

Page 36



**Value Levers** 

Page 38



**Cross Tops** 

Page 40



**Easy Fit** 

Page 41

# **CHOICES**

Eminently practical and with an all round appeal that makes them a perfect fit in any kitchen environment, Choices kitchen taps allow you to add both value and tenant appeal in kitchen designs for Affordable Housing.

### **Choices Deck Sink Mixer**

CHC DSM C Chrome

Metal backnuts

Product supplied without heads

Ceramic Disc






#### Specify as

Deck sink kitchen mixer tap supplied without handles for a wider choice of styles from the Choices handles range. Ceramic disc technology for longer life and supplied with metal fixing nuts.

Refer to page 16 for interchangeable heads available on Choices kitchen range.





## **Choices High Neck Pillar Taps**

CHC HNK C Chrome

Metal backnuts

Product supplied without heads

Ceramic Disc






#### Specify as

High neck pillar kitchen taps supplied without handles for a wider choice of styles from the Choices handles range. Ceramic disc technology for longer life and supplied with metal fixing nuts.

Refer to page 16 for interchangeable heads available on Choices kitchen range.





### **Choices Monobloc Sink Mixer**

CHC SNK C Chrome

Metal backnuts

Product supplied without heads

Ceramic Disc






#### Specify as

Monobloc kitchen mixer tap supplied without handles for a wider choice of styles from the Choices handles range. Ceramic disc technology for longer life and supplied with metal fixing nuts.

Refer to page 16 for interchangeable heads available on Choices kitchen range.





# **DESIGN UTILITY**

A rugged and robust kitchen tap design with a choice of lever or cross head controls. An Easifit option allows for even quicker fitting or refurbishment by allowing labourers to simply slot the tap body in place immediately after tiling and plastering.


### Design Utility Lever Deck Sink Mixer

DUL DSM C Chrome Metal backnuts Ceramic Disc









### Specify as

Deck sink kitchen mixer tap with contemporary lever handles for ease of use. Ceramic disc technology for longer life and supplied with metal fixing nuts.


# **Design Utility Lever High Neck Pillar Taps**

DUL HNK C Chrome Metal backnuts Ceramic Disc









#### Specify as

High neck pillar kitchen taps with contemporary lever handles for ease of use. Ceramic disc technology for longer life and supplied with metal fixing nuts.

# **Design Utility Lever Easyfit Sink Mixer**

DUL SNK EF C Chrome
Metal fixing nut
Easyfit base
Ceramic Disc










#### Specify as

Monobloc kitchen mixer tap with easy fit base for simple replacement / servicing, contemporary lever handles for ease of use. Ceramic disc technology for longer life.





## **Design Utility X-Head Deck Sink Mixer**

DUX DSM C Chrome


Metal backnuts

Ceramic Disc









#### Specify as

Deck sink kitchen mixer tap with cross head handles. Ceramic disc technology for longer life and supplied with metal fixing nuts.

# **Design Utility X-Head High Neck Pillar Taps**

DUX HNK C Chrome


Metal backnuts

Ceramic Disc









#### Specify as

High neck pillar kitchen taps with cross head handles. Ceramic disc technology for longer life and supplied with metal fixing nuts.

# **Design Utility X Head Easyfit Sink Mixer**

DUX SNK EF C Chrome

Metal fixing nut

Easyfit base

Ceramic Disc








#### Specify as

Monobloc kitchen mixer tap with easy fit base for simple replacement / servicing, cross-head handles and Ceramic disc technology for longer life.





# **CLUB**


Chunky, compact handles and robust mixer, monobloc and pillar tap bodies make the Club kitchen range a beautifully practical choice. Not to mention one that delivers both value and reliability in equal measure.

### Club Budget Deck Sink Mixer

VAC BDSM C MT Chrome







#### Specify as

Deck sink kitchen mixer tap with dual flow to give a cool-touch spout and classic club style handles.


## Club Budget Monobloc Sink Mixer

VAC BSNK C MT Chrome VAC BSNK WHT White









# Specify as

Monobloc sink kitchen mixer tap with dual flow to give a cool-touch spout and classic club style handles.


### Club Deck Sink Mixer

VAC DSM C MT Chrome









#### Specify as

Deck sink kitchen mixer tap with dual flow to give a cool-touch spout and classic club style handles.

#### Club **High Neck Pillar Taps**

VAC HNK C MT Chrome









#### Specify as

High neck kitchen pillar taps with classic club style handles. Supplied with metal backnuts.


#### Club **Single Flow Sink Mixer**

VAC SFSNK C MT Chrome









#### Specify as

Budget monobloc sink kitchen mixer tap with classic club style handles.


#### Club **Monobloc Sink Mixer**

VAC SNK C MT Chrome









#### Specify as

Monobloc sink kitchen mixer tap with dual flow to give a cool-touch spout and classic club style handles.

### **VALUE LEVER**

Ease and economy join forces in this range of hard working and hard wearing kitchen taps. Featuring bib and deck mounted options, as well as bridge, monobloc and pillar designs, it's one of the most adaptable modes in the Bristan range.

## Lever Bridge Sink Mixer 3"(76mm) & 6" (152mm) Levers

VAL BRDSM C CD Chrome
VAL BRDSM C 6 CD Chrome
Metal backnuts


Ceramic Disc











#### Specify as

Lever Bridge sink mixer with long 6" lever handles for ultimate ease of use, with ceramic disc technology for longer life and supplied with metal backnuts.


#### Lever Deck Sink Mixer 3" (76mm) & 6" (152mm) Levers

VAL DSM C CD Chrome VAL DSM C 6 CD Chrome Ceramic Disc









#### Specify as

Lever Deck sink mixer with long 3" lever handles for ease of use, with ceramic disc technology for longer life.

## Lever High Neck Pillar Taps 3" (76mm) & 6" (152mm) Levers


VAL HNK C CD Chrome
VAL HNK C 6 CD Chrome
Metal backnuts

Ceramic Disc









#### Specify as

High neck kitchen pillar taps with 3" lever handles for ease of use, with cermic disc tecnology for longer life. Supplied with metal backnuts.

#### Lever Pillar Bridge Sink Mixer 3" (76mm) Levers

VAL PSNK C CD Chrome

Metal backnuts

Ceramic Disc







#### Specify as

Lever pillar kitchen sink mixer tap, with 3" lever handles for ease of use, ceramic disc technology for longer life. Supplied with metal back nuts.



#### **Lever Monobloc Sink Mixer 3"(76mm)** Levers

VAL SNK C CD Chrome

Ceramic Disc








Monobloc sink kitchen mixer tap with dual flow to give a cooltouch spout and 3" lever handles for ease of use, supplied with ceramic disc technology for ease of use.





#### **Lever Wall Mounted Bridge Sink Mixer** 3" (76mm) & 6" (152mm) Levers


VAL WMBRSM C CD Chrome VAL WMBRSM C 6 CD Chrome

Ceramic Disc









#### Specify as

Lever wall mounted bridge sink mixer tap with 6" lever handles for ease of use, dual flow technology for cool-touch spout, ceramic disc technology for longer life and supplied with metal backnut.

#### **Lever Wall Mounted Sink Mixer 3" (76mm) Levers**

VAL WMSNK C CD Chrome

Metal backnuts

Ceramic Disc








#### Specify as

Lever wall mounted sink mixer tap with 3" lever handles for ease of use, dual flow technology for cool-touch spout, ceramic disc technology for longer life and supplied with metal backnut.





## **CROSS TOPS**

Traditional and practical, with all the advantages of today's design and engineering technology, cross top taps are at home in practically any kitchen. Choose from bib tap, mixer or high neck pillar options.

#### X-Head Deck Sink Mixer


VAX DSM C Chrome











#### Specify as

Deck sink mixer with cross-head handles, dual flow technology for cooltouch spout.

## X-Head High Neck Pillar Taps


VAX HNK C Chrome

Metal backnuts









#### Specify as

High neck kitchen pillar taps with cross-head handles. Supplied with metal backnuts.

#### X-Head Sink Mixer


VAX SNK C Chrome











#### Specify as

Monobloc sink kitchen mixer tap with dual flow to give a cool-touch spout and cross-head handles.

### **EASYFIT**

Our unique, patented EasyFit system makes installation fast, accurate and simple. Featuring flexible inlets for easy connection to the hot and cold supply plus push-on fittings for the tap body, it saves time in new build and refurbishment, while allowing plenty of room for tiling and sealing to be completed.

#### **Cinnamon Easyfit Monobloc Sink Mixer** Chrome

#### CNN EFSNK C Chrome

Unique patented technology.

Designed with the installer in mind to ensure installation and future aintenance is made quick and easy.

Ceramic disc cartridge for added durability and ease of use.


Supplied with flexible connecting pipes.

Supplied with easy to use metal lever handle. Chrome plated to BS EN 248.









#### Specify as

Easyfit Cinnamon kitchen sink mixer tap with unique patented base, ceramic disc cartridge for long life and easy to use lever handle. Supplied with flexible tails and isolators.

#### **Manhattan Easyfit Mono Sink Mixer**

#### MH SNK EF C Chrome

Unique patented technology.

Designed with the installer in mind to ensure installation and future maintenance is made quick and easy.

Supplied with flexible connecting pipes.


Chrome plated to BS EN 248














#### Specify as

Easyfit Manhattan kitchen sink mixer tap with unique patented base, ceramic disc cartridges for long life and easy to use separate controls for hot and cold. Supplied with flexible tails and isolators.

## **SHOWERS**

You can be sure the Bristan showers you choose are compliant with regulations such as Part G and meet BREEAM requirements for water consumption in domestic dwellings. Our shower range is developed with tenants in mind and offers safety features such as 'safe to touch' cool chrome technology and our Joy Care range is BEAB and RNIB accredited, ideal for use in sheltered accommodation and the care home environment.

### **CARE SHOWER**

Our BEAB accredited Joy Care shower range includes a number of features to make showering safer and more comfortable for those living in assisted accommodation or adapted Affordable Housing. Anti scalding thermostatic controls, large, clear control graphics and audible signals for temperature setting changes all help the less mobile enjoy more independent living either in their own homes or as part of a multi-generational home.

#### Joy Care Thermostatic Electric Shower

#### JOYTHC95 W

Comfortable, safe showering; thermostatic feature reduces the risk of scalding and ensures user safety at all times

Audible clicks and bleeps denote setting changes, raised markings and larger fonts for ease of use

Maximum temperature setting and automatic shutdown feature can be adjusted to suit at installation

Warm up mode; once temperature is reached the on/off button stops flashing

Anti limescale feature reduces build up and rub-clean handsets help extend product life

Digital display; choose your ideal temperature setting

Perfect replacement shower; multiple water/cable entry points for easier compatibility

Easy to clean and maintain; external filter helps maintain performance

Large soap dish with retractable hooks for product storage

Extra large colour coordinated showerhead; stylish performance

Illuminated on/off button indicates powered and ready for use















#### Specify as

Joy Care Thermostatic Electric Shower. BEAB Care Accredited. Standard length rail and hose.

#### **Joy Care Thermostatic Electric Shower**

#### JOYTHCK85 W

#### JOYTHCK95 W

Longer length rail 1m, 2m hose and easy to move paddle design hose retainer

User instructions available in braille and audio

























#### Specify as

Joy Care Thermostatic Electric Shower. BEAB Care Accredited. 1m length rail and 2m length hose with easy to operate paddle handle hose retainer.

#### **Joy Care Thermostatic Electric Shower**

#### JOYTHCKH85 W

#### JOYTHCKH95 W

Longer length rail 1m, 2m hose, easy to move paddle design hose retainer and handle dial

User instructions available in braille and audio


















#### Specify as

Joy Care Thermostatic Electric Shower. BEAB Care Accredited. 1m length rail and 2m length hose. Easy to operate paddle handle hose retainer and longer handle dial.



### **SHOWERING**

Our bar valve shower kits offer a broad range of options, including thermostatic and some offer cool touch technology that provides family safe shower casing and a choice of single or multi-function handsets. All can be fitted quickly and easily while tiling and plastering is still going on using our Easyfit wall mount kit, which also makes repairs and maintenance easier and quicker.

#### **Zing Thermostatic Exposed Cool Touch** Bar Valve with Riser Kit, **Single Function Handset** & Fast Fit Connections

#### ZI SHXSMCTFF C

#### ZI SHXSMCT C

Connection Inlet: 15mm compression for ZI SHXSMCTFF C. G1/2" for ZI SHXSMCT C

Inlet Centres: 150mm

Working Pressure Range: 0.2 - 5.0 bar

Flow rate at 0.5 bar open outlet (without hose): 6.7 l/m Temperature: Pre-set 38°C. With push button override to 46°C

Fast fit connectors for easy retro-fit installation

Cold water feed surrounds the hot water to ensure the valve is safe to touch by all the family

Rub clean handset

Supplied with our wallmount 10 fixing kit for easier retro installation (ZI SHXSMCTFF C only)







#### Specify as

Zing Thermostatic Exposed Cool Touch Bar Valve with Riser Kit and Single Function Handset.

#### **Frenzy Thermostatic Exposed Cool Touch Bar** Valve with Riser Kit. **Multi Function Handset** & Fast Fit Connections

#### FZ SHXMMCTFF C

Connection Inlet: 15mm compression Working Pressure Range: 0.2 - 5.0 bar

Flow rate at 0.5 bar open outlet (without hose & flow regulators): 7.7 l/m

Temperature: Pre-set 38°C with push button override to 46°C

Eco feature on flow control (can be over-ridden.) Fast fit connectors for easy retro-fit installation









#### Specify as

Frenzy Thermostatic Exposed Cool Touch Bar Valve with Riser Kit, Multi Function Handset & Fast Fit Connections.

#### **Frenzy Thermostatic Exposed Cool Touch Bar Valve & Fast Fit Connections**

#### FZ SHXVOCTFF C

Connection Inlet: 15mm compression Working Pressure Range: 0.1 - 5.0 bar Flow rate at 0.5 bar (open outlet): 7.7 l/m

Temperature: Pre-set 38°C with push button override to 46°C Eco feature on flow control (can be over-ridden.)

Fast fit connectors for easy retro-fit installation

Fitted with flow regulators for economy








#### Specify as

Frenzy Thermostatic Exposed Cool Touch Bar Valve with Fast Fit Connections.







#### Design Utility Thermostatic Exposed Bar Valve with Adjustable Riser Kit, Single Function Handset & Fast Fit Connections

#### DUL2 SHXARFF C

Connection Inlet: 15mm compression

Working Pressure Range: 0.2 - 5.0 bar

Flow rate at 0.2 bar open outlet (without hose & flow regulators): 5.7 l/min

Temperature: Pre-set 38°C. With push button override to  $46^{\circ}\text{C}$ 

Fast fit connectors for easy retro-fit installation Valve is TMV2 rated giving it a higher standard of thermostatic performance and protection

Supplied with our wallmount 10 fixing kit for easier retro installation

Easy to use extended lever handles

Shower kit has an adjustable fixing bracket on riser rail to enable existing screwholes to be used

Wide bore hose maximises flow through the handset

Matching taps available


Rub clean handset





Easyfit





#### Specify as

Design Utility Lever TMV2 Thermostatic Bar Shower with Adjustable Riser & Fast Fit Connections.

#### **Prism® Cool Touch Bar Valve with Adjustable** Riser Kit, Peg Handles, **Multi Function Handset** & Fast Fit Connections

#### PM SHXMMCTFF C

Connection Inlet: 15mm compression

Working Pressure Range: 0.2 - 5.0 bar

Flow rate at 0.5 bar (open outlet): 7.7 I/mTemperature: Pre-set 38°C with push button override to 46°C

Eco feature on flow control (can be over-ridden.) Fast fit connectors for easy retro-fit installation Rub clean handset

Valve is TMV2 rated giving it a higher standard of thermostatic performance and protection

Cold water feed surrounds the hot water to ensure the valve is safe to touch by all the family. Supplied with our wallmount 10 fixing kit for easier retro installation

Shower kit has an adjustable fixing bracket on riser rail to enable existing screwholes to be used

Matching taps available, making it perfect for retro fit









#### Specify as

Prism Thermostatic TMV2 Exposed Cool Touch Bar Valve with Adjustable Riser Kit, Peg Handles, Multi Function Handset & Fast Fit Connections.



#### **Artisan® Thermostatic Exposed Bar Valve** with Adjustable Riser Kit, **Multi Function Handset** & Fast Fit Connections

#### AR2 SHXMTFF C

Connection Inlet: 15mm compression

Working Pressure Range: 0.1 - 5.0 bar

Flow rate at 0.2 bar open outlet (without hose & flow regulators): 5.5 l/m

Temperature: Pre-set 38°C with push button override to 46°C

Eco feature on flow control (can be over-ridden.) Fast fit connectors for easy retro-fit installation

Supplied with 2 x 7 l/m flow regulators (fitted) Supplied with our wallmount 10 fixing kit for easier retro installation

Shower kit comes with rub clean handset and an adjustable fixing bracket on riser rail to enable existing screwholes to be used. Matching taps available

Valve is TMV2 rated giving it a higher level of thermostatic performance and protection








#### Specify as

Artisan® Thermostatic Bar Mixer with Multi-mode Kit and Fast Fit Connections.



# **ACCESSORIES**

Choose from our extensive accessories range to customise your bathroom designs according to requirements. Whatever the bathroom style, our towel rails, tumblers and toilet roll holders will add comfort and character.

#### **Glass Tumbler & Holder**

#### SO HOLD C

Height 100mm

Width 67mm


Depth 105mm

Solid brass

#### Specify as

Solo contemporary glass tumbler and holder. Chrome plated with concealed fixings.





#### **Toilet Roll Holder**

#### RD ROLL C

Height 105mm


Width 148mm

Depth 60mm

#### Specify as

Solo contemporary open sided toilet roll holder. Chrome plated with concealed fixings.





#### **Towel Ring**

#### RD RING C

Height 205mm


Width 190mm

Depth 60mm

#### Specify as

Modern Round Bathroom Towel Ring 190mm diameter with concealed fixings.





#### **Towel Rail**

#### RD RAIL C

Height 48mm


Width 595mm

Depth 72mm

#### Specify as

Modern Round Bathroom Towel Rail 595mm width with concealed fixings.





#### **Grab Bar**

#### COMP GRAB03 C

Height 247mm

Width 437mm

Depth 70mm

#### Specify as

Contemporary Chrome Plated angled grab rail with concealed fixings.



#### **Grab Rail**

#### **GRAB 450 W**

#### **GRAB 450 B**

Non corrosive aluminium construction

No electrical earthing required

Durable Stainless steel flange covers to conceal wall fixings 190Kg Max user weight

Complies with DocM requirements

Also available in grey (RAL 7005) and stainless steel finishes as special order



DocM compliant Aluminium 450mm grab rail.



#### **Wall Mount Fixings**

#### WMNT10 C Chrome


Connection Inlet: 15mm compression

Connection Outlet: G 3/4"

Enables rigid fixing of exposed bar shower valves to 15mm pipework protruding through cavity wall surface.







#### Specify as

Fast fit connectors for easy retro-fit or first-fit installation of any bar shower.

#### **Wall Mount Kit**


#### WMNT11 C

Connection Inlet:15mm compression

Connection Outlet: G 3/4"

Enables rigid fixing of exposed bar shower valves to 15mm pipework protruding through cavity wall surface





#### Specify as

First fix rigid fixing kit to guarantee 150mm centers during tiling.

### 15mm TMV3 Thermostatic Mixing Valve (also available with isolation and with 22mm inlet)

#### MT503CP MT753CP 22

Automatic shut-off in the event of hot or cold water supply failure

Check valves, serviceable filters and flat faced inlet connections as standard

Operates at a maximum pressure differential of 10:1 High pressure bath fill Part G compliant








### **♦**WRAS

#### Specify as

TMV3 Thermostatic under bath blending valve with 15mm inlet connections.





## DocM Showering Pack (blue or white)

DOCM-S W

Blue or White corrosion resistant aluminium construction

LANTAC approved, unhanded, single box solution

Vandal resistant design

TMV3 exposed OPAC shrouded shower valve included

Diverter between shower head and handset


DocM compliant







nsion should be 250 respectively to meet DOCM



#### Specify as

DocM TMV3 shower kit, single box solution includes OP TS1503 SCL shrouded shower valve and diverter kit.

#### Grab Rail / Slide Bar 900mm Stainless Steel Finish Paddle handle option available

#### EV KIT-EGB C

Tough, Non corrosive 32mm diameter stainless steel

Grab rail / slide bar

Flange covers to conceal wall fixings

Single function rub clean anti-limescale handset

Extended 1.75m rub-clean hose


Easy to use, robust slider mechanism

190Kg Max user weight

#### Specify as

Easy to operate shower grab rail with single function rub clean handset. Rub clean hose and concealed wall fixings.





#### Cascade® Shower Kit with **Single Function Large Handset**

#### CAS KITO2 C

Large Handset

Clam Packed


Kit includes: Adjustable Riser Rail (650mm), Hose (1.5m), Large Single Function Rub Clean Handset & Hose Retainer



#### Specify as

Cascade Shower Kit with single function rub-clean large handset, 650mm adjustable riser rail, hose retainer and 1.5M hose.






#### **Shower Kit Shower Kit** with Rub Clean Handset

#### KIT100 C

Clam packed

Kit Includes: Riser Rail, 1.5m Hose, Single Function Rub Clean Handset & Hose Retainer





#### Specify as

Shower kit with rub-clean handset, 1.5M hose and 600mm riser rail.

## LET'S TALK

We're always happy to talk about your requirements and offer advice on choosing the best products for the job. To learn more about all our products and services for Social Housing, visit www.bristan.com or contact our team of friendly Social Housing experts on

01827 254 154

or email contractenquiry@bristan.com

Bristan Birch Coppice Business Park, Dordon, Tamworth, Staffordshire, B78 1SG.

Specifier Helpline Telephone: 0330 026 6273

Email: specify@bristan.com

www.bristan.com

A pdf version of this brochure is available from www.bristan.com/brochures

Whilst every care has been taken to ensure that the information included in this document was accurate at the time of printing, we reserve the right to change product specifications at any time without prior notice.

The photographs reproduced in this publication are within the constraints of the printing process and are not to be used for matching purposes. Photographs are used for approximate representation only and may not show the actual products on offer. E&OE.

Part of the Bristan Group Limited. A MASCO company.

Copyright: ©2017 Bristan Group Limited. All rights reserved. Trademarks: Bristan' is a registered trade mark and the property

of Bristan Group Limited. All rights reserved. 01/17.

